



VENDED SINGLE POCKET TUMBLERS



- SA025 - 25lb/11kg Dryer
- SA030 - 30lb/14kg Dryer
- SA035 - 35lb/16.5kg Dryer
- SA055 - 55lb/23.4kg Dryer
- SA075 - 75lb/34kg Dryer

DEDICATED TO A HIGHER STANDARD

Quantum Gold wireless network capability

Wireless networking lets you program, monitor, audit and diagnose machines from any computer, anywhere in the world.

Lucky cycle

Reward customers with a free dry after a predetermined number of cycles.

Auto shutdown assistant

Quantum Gold ensures that your laundry closes on time, shutting down automatically at a specified time.

Time of day pricing

Customise your price settings according to your traffic volume. Charge premiums during busy times or offer reduced rates during off-peak hours.

Maximise revenue potential

Optimise your profitability like never before with Quantum. Reduce programming and on-site labour time with Quantum Gold's in-depth profit reports, which provide store and revenue breakdowns to help you make smart, informed business decisions.



Quantum controls

Your business is your business, and you should be able to operate it on your terms. The cutting-edge Quantum control system from Speed Queen gives you the freedom to run your business your way, and the power to achieve unprecedented levels of profitability.

This revolutionary technology combines equipment controls and programming into one full-store management system for washers and tumble dryers.

Quantum Gold gives you more control with added cycles, automatic shutdown, price modifiers, wireless networking and more. And Quantum controls will help you adjust your cost structure, reduce your utility costs, increase your revenue and ultimately maximise your profitability.

Manage your laundry

Think of Quantum Gold as your store manager. With the ability to wirelessly connect your laundry machines together, you can program, monitor, audit and diagnose your equipment from any internet-connected computer, anytime and anywhere. With auto shutdown, customers can only start wash loads if there's enough time to dry a load before closing.

Quantum Gold also runs routine diagnostics and sends you email notifications for up to 40 warnings to manage maintenance expenses. Plus, audit data offers in-depth store and revenue reports to optimise your financial performance. With fewer employees to manage everyday tasks, you can greatly increase your profitability.

Fastest, most efficient drying process

Available on models SA025, SA030, SA035 and SA055, axial air flow pattern ensures maximum air utilisation for labour and energy savings.



SA025 SA030 SA035

These 25, 30 and 35 pound microprocessor control dryers feature:

- Air flow pattern designed to achieve maximum efficiency, as air enters the rim sealed cylinder from the back face and exits through the front lower quarter, ensuring load core drying.
- Gas, steam or electric heated variants.

Extra-large stainless steel doors and heavy-duty hinges ensure these machines will stand up to the repeated use of high-traffic vended laundries. Speed Queen tumble dryers feature an all-belt drive system, which means they're less noisy and cheaper to maintain. Our fine mesh lint screen is self-cleaning, depositing lint into a large storage area for easy, once-per-day removal. Our patented cylinder design allows drywall screws to pass through oval perforations, preventing damage to the metal surrounding the cylinder.



SA055

This 55 pound microprocessor control gas dryer features:

- Air flow pattern designed to achieve maximum efficiency, as air enters the rim sealed cylinder from the back face and exits through the front lower quarter, ensuring load core drying.
- Gas, steam or electric heated variants.



SA075

This 75 pound microprocessor control gas dryer features:

- Gas, steam or electric heated variants.
- Speed Queen is leading the vended industry by offering ever increasing size options in tumblers.
- Attract customers with King size bedding and doonas/duvets.
- Take advantage of huge drum volume to reduce wrinkling and creasing of garments.



SPECIFICATIONS

| | SA025 | SA030 | SA035 | SA055 | SA075 |
|---|--|--|--|--|--|
| Measurements | | | | | |
| Dimensions (H x W x D) | 1622 x 711 x 1038 mm | 1622 x 711 x 1191 mm | 1622 x 800 x 1191 mm | 1695 x 876 x 1362 mm | 1946 x 981 x 1378 mm |
| Shipping weight (approx) | 151 kg | 165 kg | 179 kg | 216 kg | 307 kg |
| Net weight (approx) | 137 kg | 150 kg | 163 kg | 197 kg | 279 kg |
| Dryer drum capacity | 217 litres | 271 litres | 347 litres | 491 litres | 634 litres |
| Dryer door opening | 576 mm | 576 mm | 576 mm | 683 mm | 683 mm |
| Dryer door hinge | Steel | Steel | Steel | Steel | Steel |
| Materials | | | | | |
| Cabinet | Steel | Steel | Steel | Steel | Steel |
| Cylinder | Galvanised (Standard) or Stainless Steel (Optional) |
| Electrical requirements | | | | | |
| Electrical requirements (with gas heat) | 240/50/1 | 240/50/1 | 240/50/1 | 240/50/1 | 240/50/1 |
| Dryer breaker size (with gas heat) | 10 | 10 | 10 | 10 | 15 |
| Dryer AMPS (with gas heat) | 3.5 | 3.5 | 3.5 | 5.5 | 7 |
| Dryer motor horsepower | 1/4 cyl and 1/4 fan | 1/4 cyl and 1/4 fan | 1/4 cyl and 1/4 fan | 1/2 cyl and 1/2 fan | 3/4 (Rev: 1/3 cyl and 1/3 fan) |
| Dryer energy use | | | | | |
| Gas consumption (megajoules) | 67.5 | 77 | 95 | 107.6 | 174.1 |
| Gas models - per pocket | 64,000 Btu/hr | 73,000 Btu/hr | 90,000 Btu/hr | 102,000 Btu/hr | 165,000 Btu/hr |
| Steam models - 100 PSI | 135,000 Btu/hr | 135,000 Btu/hr | 166,000 Btu/hr | n/a | 210,000 Btu/hr |
| Electric models | 12 kW | 21 kW | 24 kW | 27 kW | 30 kW |
| Operation | | | | | |
| Drying cycles | 5 | 5 | 5 | 5 | 5 |
| Cycle indicator light | Yes | Yes | Yes | Yes | Yes |
| Agency approvals | | | | | |
| Australian gas approval | Yes | Yes | Yes | Yes | Yes |
| Features | | | | | |
| LP conversion kit | Yes | Yes | Yes | Yes | Yes |
| Appearance | | | | | |
| Finish | Painted Textured Steel (Standard) or Smooth Stainless Steel (Optional) | Painted Textured Steel (Standard) or Smooth Stainless Steel (Optional) | Painted Textured Steel (Standard) or Smooth Stainless Steel (Optional) | Painted Textured Steel (Standard) or Smooth Stainless Steel (Optional) | Painted Textured Steel (Standard) or Smooth Stainless Steel (Optional) |
| Colour | White or White with Stainless Steel Front |
| Location of controls | Front | Front | Front | Front | Front |





Alliance International bvba.
Nieuwstraat 146.
B-Wevelgem 8560.
Belgium